COMMITTEE REPORT

MADAM PRESIDENT:

The Senate Committee on Homeland Security, Utilities, and Public Policy, to which was referred House Bill No. 1315, has had the same under consideration and begs leave to report the same back to the Senate with the recommendation that said bill be AMENDED as follows:

1	Page 1, line 3, after "(a)" insert "This section does not apply to the
2	Indiana Veterans' Home.
3	(b)".
4	Page 1, line 3, after "IC 16-28" insert "as a comprehensive care
5	facility".
6	Page 1, line 12, delete "(b)" and insert "(c)".
7	Page 1, between lines 13 and 14, begin a new paragraph and insert:
8	"SECTION 2. IC 16-28-11-6 IS ADDED TO THE INDIANA
9	CODE AS A NEW SECTION TO READ AS FOLLOWS
10	[EFFECTIVE JULY 1, 2006]: Sec. 6. The state department shall
11	disclose, in the department's consumer guide to nursing homes,
12	whether a health facility is:
13	(1) fully;
14	(2) partially; or
15	(3) not;
16	equipped with sprinklers.
17	SECTION 3. IC 16-28-11-7 IS ADDED TO THE INDIANA CODE
18	AS A NEW SECTION TO READ AS FOLLOWS [EFFECTIVE
19	JULY 1, 2007]: Sec. 7. The state department shall disclose the
20	following information in the department's consumer guide to

AM 131506/DI 71 2006

1	nursing homes:
2	(1) Whether a health facility has:
3	(A) battery operated;
4	(B) hard wired; or
5	(C) no;
6	smoke detectors in each resident's room.
7	(2) If a health facility has hard wired or wireless smoke
8	detectors in each resident's room, whether the smoke
9	detectors:
10	(A) provide an unusual and audible signal at the nurses
11	stations that attend each room; and
12	(B) transmit to a central station service or connect to the
13	facility's fire alarm system.".
14	Page 2, delete lines 9 through 25.
15	Renumber all SECTIONS consecutively.
	(Reference is to HB 1315 as printed January 25, 2006.)

and when so amended that said bill do pass.

Committee Vote: Yeas 8, Nays 0.

AM 131506/DI 71 2006

Senator Wyss, Chairperson

AM 131506/DI 71 2006